

## Pressed, injection moulded and cast Mullite / Alumina products

First publication: 2006 - 08 - 31

Updating: 2009 - 09 -01

### 1. Identification of the substances / preparation and company / undertaking

1.1 Identification of the substance	1.2 Use of the product	1.3 Company/ undertaking identification	1.4 Emergency phone
KF25P MAT1 E59R PR270 QAT4 MR1 QM3 F1	Slab, saggar and other kiln furniture	IMERYS Kiln Furniture Espana S.A P.O Box 18 Cachadas, La Guardia 36780 Pontevedra Spain Phone: +34 986 60 90 00 Fax: + 34 986 61 41 41	IMERYS Kiln Furniture Espana S.A P.O Box 18 Cachadas, La Guardia 36780 Pontevedra Spain Phone: +34 986 60 90 00 Fax: + 34 986 61 41 41 Name: Magdalena Gonzales

### 2. Hazards identification

**Classification:** The article is not considered as dangerous for health and environment according to regulation in force

The article can generate alveolar dusts potentially during no-normal conditions (For instance grinding or cutting operations). Dusts can contain some alveolar crystalline silica. An extended inhalation of these alveolar dusts can drive to a fibrose of lungs. The first symptoms of a fibrose of lungs are cough and shortness of breath. The exhibition on the workplace in alveolar dusts and in some alveolar crystalline silica must be watched and controlled

### 3. Composition / information on ingredients

Ingredient name	%	CAS number	Einecs number	Classification
Mullite	0-99	1302-93-8	215-113-2	Non-hazardous
Glass matrix	0-10	60676-86-0	262-373-8	Non-hazardous
Alumina	0-99	1344-28-1	215-691-6	Non-hazardous

### 4. First-aid measures

**Eye contact:** If dust of the product or part worn off contact the eye should flush out with plenty of water. In case of steady irritation consult a doctor

**Skin contact:** Wash with plenty of water; In case of steady irritation consult a doctor

**Inhalation:** No particularly recommendation

**Ingestion:** No particularly recommendation

## Pressed, injection moulded and cast Mullite / Alumina products

First publication: 2006 - 08 - 31

Updating: 2009 - 09 - 01

### 5. Fire-fighting measures

**Suitable extinguish media:** The product is not combustible and combusive; the product can contact any extinguish media

**Special exposure hazards:** The product is not combustible, in fire it does not decompose

**Special protective equipment for the fire-fighters:** None

### 6. Accidental release measures

**Personal protecting apparatus:** See section 8

**Environmental measures:** No particularly recommendation

**Cleaning / decontamination measures:** Prevent the scattering of fine particles

### 7. Handling and storage

**7.1 Handling:** Water machining to avoid the dispersion of fine particles

**7.2 Storage:** Keep dry and frostless place, in cage or on pallet

**7.3 Specific uses:** None

### 8. Exposure controls / Personal protection

**8.1 Exposure limit values:** See section 16

**8.2 Exposure controls**

**8.2.1 Occupational exposure controls:**

**8.2.1.1 Respiratory protection:** In case of dust, use protective mask type PPP3.

**8.2.1.2 Hand protection:** protective gloves

**8.2.1.3 Eye protection:** In case of dust, use protective glasses to prevent irritation

**8.2.1.4 Skin protection:** Use protective clothes to prevent irritation

**8.2.2 Environmental exposure controls:** None

## Pressed, injection moulded and cast Mullite / Alumina products

First publication: 2006 - 08 - 31

Updating: 2009 - 09 - 01

### 9. Physical and chemical properties

#### 9.1 Appearance

- Physical state : solid
- Colour : greyish yellow
- Odour : none

#### 9.2 Important health, safety and environmental information

- pH value : 7 in water
- Melting point : above 1600°C
- Flash point : not applicable
- In flammability : not applicable
- Explosive properties : not applicable
- Oxidising properties: not applicable
- Vapour pressure : not applicable
- Relative density: 2.2-3.9 ton/m<sup>3</sup>
- Solubility : not soluble in water and common solvents
- Partition coefficient n-octanol / water: not applicable
- Viscosity: not applicable
- Vapour density: not applicable
- Evaporation rate: not applicable

### 10. Stability and reactivity

**Stability:** The article is stable in the normal conditions of temperature and pressure

**Conditions to avoid:** No known dangerous conditions

**Material to avoid:** glasses and oxides/composites with melting action should not contact the surface of the product

**Hazardous decomposition article:** no known hazardous decomposition product in normal conditions of temperature and pressure

### 11. Toxicological information

No available information to date

### 12. Ecological information

It don't exist harmful effect on the environment to date

## Pressed, injection moulded and cast Mullite / Alumina products

First publication: 2006 - 08 - 31

Updating: 2009 - 09 -01

### 13. Disposal considerations

The waste is recyclable or should deposit as building rubbish according to the requirements of environmental protection and waste disposal legislation and any regional authority requirements

If the product will be contaminated during application, the user should examine the nature of the contamination and the waste should be treated accordingly.

### 14. Transport information

Non submit to ADR

No special marking required; Transportable on pallets, in cage on truck

### 15. Regulatory information

The article is not classified as dangerous

Hazard symbol: none

Risk phrases: none

Safety phrases: none

The data given below are based on present knowledge and experiences and should be considering the safety regulation and it does not guarantee the characteristics.

The changes in the product and the any new knowledge are attended and in accordance the Material Safety Datasheet should be updated continuously.

IMERYSKILNFURNITURE

## Pressed, injection moulded and cast Mullite / Alumina products

First publication: 2006 - 08 - 31

Updating: 2009 - 09 -01

### 16. Other Information

**Table of Occupational Exposure Limit values (in mg/m<sup>3</sup>) – June 2006**

	Poussières respirables	Poussières inhalables	Quartz	Cristobalite	Tridymite
<b>Austria</b>			0.15	0.15	0.15
<b>Belgium</b>			0.1	0.05	0.05
<b>Denmark</b>			0.1	0.05	0.05
<b>Finland</b>			0.2	0.1	0.1
<b>Franc</b>	10	5	5 or 25k/Q		
			0.1	0.05	0.05
<b>Germany</b>		6	0.15 <sup>1</sup>	0.15	0.15
<b>Greece</b>			0.1 <sup>2</sup>	0.05	0.05
<b>Ireland</b>			0.05	0.05	0.05
<b>Italy</b>		3	0.05	0.05	0.05
<b>Luxembourg</b>			0.15	0.15	0.15
<b>Netherlands</b>		5	0.075	0.075	0.075
<b>Norway</b>			0.1	0.05	0.05
<b>Portugal</b>			0.05	0.05	0.05
<b>Spain</b>		5	0.1	0.05	0.05
			5 or 25k/Q		
<b>Sweden</b>			0.1	0.05	0.05
<b>Switzerland</b>			0.15	0.15	0.15
<b>United Kingdom</b>		4	0.3 <sup>3</sup>	0,3	0,3